


CONCEPTUAL SITE PLAN — 9729 FIRE TOWER FARM RD (REV. 4)

Whitakers, Nash County, NC 27891 | PAR ID# 033207 | Zoning: A1 | Permit No. PZ-25-115
 MH Class A (Double-Wide) 56'x28' | Scale approx. 1 in = 100 ft | Conceptual only — not a surveyed or engineered document



LEGEND & NOTES

- Setback line
- Residence — centered on lot
- Driveway — left from road, between house & well
- ⊙ Well — left from road, east of driveway
- ▨ Septic drain field (conceptual)
- Septic tank — right from road, rear-west of house

Notes:

1. Driveway repositioned to left side (east on plan) — between house left edge and well. Well shifted ~8' east for ~22' clearance from driveway.
2. Well-to-drain-field ~120', exceeds 100' NC minimum. House-to-driveway gap ~3' — can increase by shifting driveway east 1-2' if desired.
3. Septic tank at right/west end of house rear (same as Rev. 3). Distribution pipe runs south to conceptual drain field.
4. All setbacks maintained: front 50', sides 15', rear 30'. House centered with 57' to each side setback line. Driveway and well in front setback zone — permitted.
5. Final well and septic locations subject to Nash County Environmental Health site evaluation and NCDHHS approval prior to permitting.